



Write a Beamer Template in Typst

qujihan@github



Outline

Show Time

Official Example Code (Fibonacci sequence)

Pic Example

Code Example

Todo

Footer

Catalogs

Show Time

Show Time

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
```

Official Example Code (Fibonacci sequence)

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat.

$$F_n = \left\lfloor \frac{1}{\sqrt{5}} \phi^n \right\rfloor, \quad \phi = \frac{1 + \sqrt{5}}{2}$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat.

F_1	F_2	F_3	F_4	F_5	F_6	F_7	F_8
1	1	2	3	5	8	13	21

academicpages.github.io / _talks / 2012-03-01-talk-1.md  or cancel

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
10
11 This is a description of your talk, which is a markdown files that can be all markdown-ifed
12
13 Headings
14 =====
```

1

Show Time

Pic Example

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
```

academicpages.github.io / _talks / 2012-03-01-talk-1.md  or cancel

↔ Edit file Preview changes

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
10
11 This is a description of your talk, which is a markdown files that can be all markdown-ified
12
13 Headings
14 =====
```

2

Show Time

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
```



图 1 My friend photographed Seda in western Sichuan

academicpages.github.io / _talks / 2012-03-01-talk-1.md or cancel

↔ Edit file Preview changes

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
```

```
10
11 This is a description of your talk, which is a markdown files that can be all markdown-ified
12
13 Headings
14 =====
```

2

Show Time

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
```

Code Example

```
func bubbleSort(arr[] int) []int {
    length := len(arr)
    if length <=1 {
        return arr
    }
    for i :=0;i < length - 1;i++ {
        for j :=0;j < length - i -1;j++ {
            if arr[j+1] > arr[j] {
                arr[j],arr[j+1] =
arr[j+1],arr[j]
            }
        }
    }
    return arr
}
```

Bubble sort is a simple sorting algorithm that repeatedly compares adjacent elements in a sequence and swaps them if they are in the wrong order (ascending or descending). The larger (or smaller) elements gradually “bubble” to the end of the sequence.

academicpages.github.io / _talks / 2012-03-01-talk-1.md or cancel

↔ Edit file Preview changes

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
10
11 This is a description of your talk, which is a markdown files that can be all markdown-ified
12
13 Headings
14 =====
```

3

Todo

Todo

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
```

Footer

There's no support for footer because I can't use it yet, but I'll add it as soon as I can.

academicpages.github.io / _talks / 2012-03-01-talk-1.md or cancel

↔ Edit file Preview changes

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
```

4

```
10
11 This is a description of your talk, which is a markdown file that can be all markdown-ified
12
13 Headings
14 =====
```

Todo

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
```

Catalogs

The part about the implementation of the catalog is too ugly, but the official hasn't provided too many ways to modify the catalog, so I'll leave it like this for now, and wait for future modifications

↔ Edit file ⌂ Preview changes

```
1 ---
2 title: "Talk 1 on Relevant Topic in Your Field"
3 collection: talks
4 type: "Talk"
5 permalink: /talks/2012-03-01-talk-1
6 venue: "University 1, Department"
7 date: 2012-03-01
8 location: "San Francisco, California"
9 ---
10
11 This is a description of your talk, which is a markdown file that can be all markdown-ified
12
13 Headings
14 =====
```

5

End of Beamer!